

# SAFETY DATA SHEET

SDS No: 0010

Section 1. **Product and Company Identification** 

Product Name: Hardwood Collection (adhesive)

Trade Name: TCP-3227

Recommended Use: Signage, Other

Restrictions on Use: None

Manufacture: Rowmark

> 5409 Hamlet Drive Findlay, OH 45840

In Case of Emergency: Mediical: 911 Call:

Poison Control: 800-589-3897

Information: Call: 1-877-ROWMARK Email: techhelp@rowmark.com

Section 2. **Hazard Identification** 

GHS Classification: Not Classified GHS Label Elements: Not Applicable



# **NEW GHS Hazard Categories**

Category 1 = Severe Hazard

Category 2 = Serious Hazard

Category 3 = Moderate Hazard

Category 4 = Slight Hazard

EYE: Solid or dust may cause irritation or corneal injury due to mechanical action. Category 5 = Minimal Hazard

SKIN: Essentially non-irritating to the skin. Mechanical injury only. Under normal processing conditions, material is heated to elevated temperatures; contact with the material may cause thermal burns. No adverse effects anticipated by skin absorption.

INGESTION: Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts.

INHALATION: Inhalation in concentration above 25 to 30 ppm may cause respiratory tract irritation. Use in well ventilated area.

## **GHS Rating**

Health	5
Flammability	4
Instability	5
Other	

**Potential Health Effects:** 

Other Hazards: Not Applicable

#### Section 3. Composition / Information on Ingredients

Name	CAS#	% by Weight
Vinyl Acetate Polymer	9003-20-7	40 -60%
Aluminum Chloride	1327-41-9	<2%

Remaining components are proprietary, non-hazardous, and/or present at amounts below reportable limits.

#### Section 4. **First Aid Measures**

Dust and process vapors may be irritation to the nose, throat and respiratory tract. Remove to fresh air. If not Inhalation: breathing, give artificial respiration. If breathing is difficult, give oxygen. Get Medical attention.

Dust, fines and process vapors may irritate the eyes. Immediately flush eyes with water for at least 15 minutes. Get medical attention.

Eyes:

Wash affected areas with soap and water. Get medical advice if rash or persistent irritation or dermatitis Skin: occurs.

No adverse health effects expected from ingestion. Ingestion:

#### Section 5. **Fire-Fighting Measures**

Suitable Extingu	uishing Methods:	Dry Chemical, Water Spray, Foam Carbon Dioxide, or Foam	
Unsuitable Extir	nguishing Methods:	Methods: None known.	
		Carbon monoxide, carbon dioxide, original monomer other hydrocarbon oxidation	
Hazards During	Fire-fighting:	products.	
Protective Equipment: Wear self-contained breathing apparatus and protective suit.			

Section 6. Accidental Rele	ease Measures			
Personal Precautions:	See Section 8 - Expos	sure Controls / Personal Protection	١.	
Environmental Precautions:	No Special environme	ental precautions required.		
Methods and Materials for Contain		· · · · · · · · · · · · · · · · · · ·		
Containmen		not be necessary. Sweep up or ga	ther material and place in	
Spill / Leak: appropriate	container for disposal.			
Section 7. Handling and S	torage			
Handling: necessary for molten resir extended pe	Keep away from heat, flame and strong oxidizing agents. Good housekeeping and controlling dusts are necessary for safe handling of product. Workers should be protected from the possibility of contact with molten resin during fabrication. Large masses of molten polymer held at elevated temperatures for extended periods of time may auto-ignite.  Keep away from heat, sparks, and flame. Store horizontally in cool, dry place in original container and			
Storage: Reep away protect from		ame. Store norizontally in cool, dry	y place in original container and	
Section 8. Exposure Cont	rol and Personal Prot	tection		
Exposure Limits:				
1) Effects of Acute Exposure:	See section 11, Toxic	cological Information		
2) Effects of Over Exposure:	See section 11, Toxic			
3) OSHA Permissible Exposure L	im Chemical	OSHA PEL	ACGIH TLV	
	Formaldehyde	0.75 ppm TWA 2 ppm STEL	Ceiling: 0.3 ppm	
4) Carcinogen Potential:	See section 11, Toxic	cological Information		
Engineering Controls:				
Use recommende	d safe handling practices	to minimize unnecessary exposul	e.	
General room ven	tilation is adequate for st	orage and ordinary handling.		
Use local exhaust	at points of fume genera	ation or if dusty conditions prevail.		
Personal Protective Equipment:				
	es with side shields or ch	nemical goggles to prevent eye co	ntact.	
Wear safety glass		nemical goggles to prevent eye con le where eye contact can occur.	ntact.	
Wear safety glass Have eye-washing	g facilities readily availabl		ntact.	
Wear safety glass Have eye-washing Wear impervious	g facilities readily availabl gloves and protective clo	le where eye contact can occur.	ntact.	
Wear safety glass Have eye-washing Wear impervious  Section 9. Physical and C	g facilities readily availabl gloves and protective clo hemical Properties	le where eye contact can occur. thing to prevent skin contact.		
Wear safety glass Have eye-washing Wear impervious  Section 9. Physical and C  Appearance:	g facilities readily available gloves and protective clo hemical Properties Various color	le where eye contact can occur. thing to prevent skin contact.  Vapor Pressure:	Not applicable	
Wear safety glass Have eye-washing Wear impervious  Section 9. Physical and C  Appearance: Odor:	g facilities readily available gloves and protective clo hemical Properties Various color Characteristic Odor	le where eye contact can occur. thing to prevent skin contact.  Vapor Pressure: Vapor Density:	Not applicable Not applicable	
Wear safety glass Have eye-washing Wear impervious  Section 9. Physical and C  Appearance: Odor: pH:	g facilities readily available gloves and protective clo hemical Properties Various color Characteristic Odor Not applicable	le where eye contact can occur. thing to prevent skin contact.  Vapor Pressure: Vapor Density: Relative Density:	Not applicable Not applicable <1	
Wear safety glass Have eye-washing Wear impervious  Section 9. Physical and C  Appearance: Odor: pH: Melting Point / Freezing Point:	p facilities readily available gloves and protective clo hemical Properties Various color Characteristic Odor Not applicable Not applicable	le where eye contact can occur. thing to prevent skin contact.  Vapor Pressure: Vapor Density: Relative Density: Solubility (ies):	Not applicable Not applicable <1 Not applicable	
Wear safety glass Have eye-washing Wear impervious  Section 9. Physical and C  Appearance: Odor: pH: Melting Point / Freezing Point: Boiling Point:	p facilities readily available gloves and protective close themical Properties  Various color  Characteristic Odor  Not applicable  Not applicable  208°-210°F	le where eye contact can occur. thing to prevent skin contact.  Vapor Pressure: Vapor Density: Relative Density: Solubility (ies): Partition Coefficient (N-Octanol.	Not applicable Not applicable <1 Not applicable /W.Not applicable	
Wear safety glass Have eye-washing Wear impervious  Section 9. Physical and C  Appearance: Odor: pH: Melting Point / Freezing Point: Boiling Point: Flash Point:	p facilities readily available gloves and protective clo  hemical Properties  Various color  Characteristic Odor  Not applicable  Not applicable  208°-210°F  Not Applicable	le where eye contact can occur. thing to prevent skin contact.  Vapor Pressure: Vapor Density: Relative Density: Solubility (ies): Partition Coefficient (N-Octanol, Auto-Ignition Temperature:	Not applicable Not applicable <1 Not applicable /W. Not applicable Variable, typically 400-500°F	
Wear safety glass Have eye-washing Wear impervious  Section 9. Physical and C  Appearance: Odor: pH: Melting Point / Freezing Point: Boiling Point:	p facilities readily available gloves and protective clo  hemical Properties  Various color  Characteristic Odor  Not applicable  Not applicable  208°-210°F  Not Applicable  Slower than Ether	le where eye contact can occur. thing to prevent skin contact.  Vapor Pressure: Vapor Density: Relative Density: Solubility (ies): Partition Coefficient (N-Octanol.	Not applicable Not applicable <1 Not applicable /W.Not applicable	
Wear safety glass Have eye-washing Wear impervious  Section 9. Physical and C  Appearance: Odor: pH: Melting Point / Freezing Point: Boiling Point: Flash Point: Evaporation Rate:	p facilities readily available gloves and protective clo  hemical Properties  Various color  Characteristic Odor  Not applicable  Not applicable  208°-210°F  Not Applicable  Slower than Ether  Dust and solid are	le where eye contact can occur. thing to prevent skin contact.  Vapor Pressure: Vapor Density: Relative Density: Solubility (ies): Partition Coefficient (N-Octanol, Auto-Ignition Temperature: Decomposition Temperature:	Not applicable Not applicable <1 Not applicable /W. Not applicable Variable, typically 400-500°F Not applicable	
Wear safety glass Have eye-washing Wear impervious  Section 9. Physical and C  Appearance: Odor: pH: Melting Point / Freezing Point: Boiling Point: Flash Point: Evaporation Rate: Flammability (solid, gas):	p facilities readily available gloves and protective closses and protective closes and protective cl	le where eye contact can occur. thing to prevent skin contact.  Vapor Pressure: Vapor Density: Relative Density: Solubility (ies): Partition Coefficient (N-Octanol, Auto-Ignition Temperature: Decomposition Temperature: Viscosity:	Not applicable Not applicable <1 Not applicable /W. Not applicable Variable, typically 400-500°F	
Wear safety glass Have eye-washing Wear impervious  Section 9. Physical and C  Appearance: Odor: pH: Melting Point / Freezing Point: Boiling Point: Flash Point: Evaporation Rate:	p facilities readily available gloves and protective clo  hemical Properties  Various color  Characteristic Odor  Not applicable  Not applicable  208°-210°F  Not Applicable  Slower than Ether  Dust and solid are	le where eye contact can occur. thing to prevent skin contact.  Vapor Pressure: Vapor Density: Relative Density: Solubility (ies): Partition Coefficient (N-Octanol, Auto-Ignition Temperature: Decomposition Temperature:	Not applicable Not applicable <1 Not applicable /W. Not applicable Variable, typically 400-500°F Not applicable Not applicable	
Wear safety glass Have eye-washing Wear impervious  Section 9. Physical and C  Appearance: Odor: pH: Melting Point / Freezing Point: Boiling Point: Flash Point: Evaporation Rate: Flammability (solid, gas): Upper Explosive Limit: Lower Explosive Limit:	p facilities readily available gloves and protective clo hemical Properties Various color Characteristic Odor Not applicable Not applicable 208°-210°F Not Applicable Slower than Ether Dust and solid are flammable Not established 40 grams/m3	le where eye contact can occur. thing to prevent skin contact.  Vapor Pressure: Vapor Density: Relative Density: Solubility (ies): Partition Coefficient (N-Octanol, Auto-Ignition Temperature: Decomposition Temperature: Viscosity: Specific Gravity:	Not applicable Not applicable <1 Not applicable /W. Not applicable Variable, typically 400-500°F Not applicable  Not applicable  Not applicable <1	
Wear safety glass Have eye-washing Wear impervious Wear impervious Physical and C Appearance: Odor: pH: Melting Point / Freezing Point: Boiling Point: Flash Point: Evaporation Rate: Flammability (solid, gas): Upper Explosive Limit: Lower Explosive Limit: Section 10. Stability Reacti	p facilities readily available gloves and protective clo hemical Properties Various color Characteristic Odor Not applicable Not applicable 208°-210°F Not Applicable Slower than Ether Dust and solid are flammable Not established 40 grams/m3	le where eye contact can occur. thing to prevent skin contact.  Vapor Pressure: Vapor Density: Relative Density: Solubility (ies): Partition Coefficient (N-Octanol, Auto-Ignition Temperature: Decomposition Temperature: Viscosity: Specific Gravity:	Not applicable Not applicable <1 Not applicable /W. Not applicable Variable, typically 400-500°F Not applicable  Not applicable  Not applicable <1	
Wear safety glass Have eye-washing Wear impervious  Section 9. Physical and C  Appearance: Odor: pH: Melting Point / Freezing Point: Boiling Point: Flash Point: Evaporation Rate: Flammability (solid, gas): Upper Explosive Limit: Lower Explosive Limit: Section 10. Stability Reacti Reactivity:	p facilities readily available gloves and protective clo hemical Properties Various color Characteristic Odor Not applicable Not applicable 208°-210°F Not Applicable Slower than Ether Dust and solid are flammable Not established 40 grams/m3	le where eye contact can occur. thing to prevent skin contact.  Vapor Pressure: Vapor Density: Relative Density: Solubility (ies): Partition Coefficient (N-Octanol, Auto-Ignition Temperature: Decomposition Temperature: Viscosity: Specific Gravity:	Not applicable Not applicable <1 Not applicable /W. Not applicable Variable, typically 400-500°F Not applicable  Not applicable  Not applicable <1	
Wear safety glass Have eye-washing Wear impervious  Section 9. Physical and C  Appearance: Odor: pH: Melting Point / Freezing Point: Boiling Point: Flash Point: Evaporation Rate: Flammability (solid, gas): Upper Explosive Limit: Lower Explosive Limit: Section 10. Stability Reacti Reactivity:	g facilities readily available gloves and protective closses and protective close close and protective close close and protective close cl	le where eye contact can occur. thing to prevent skin contact.  Vapor Pressure: Vapor Density: Relative Density: Solubility (ies): Partition Coefficient (N-Octanol, Auto-Ignition Temperature: Decomposition Temperature: Viscosity: Specific Gravity:	Not applicable Not applicable <1 Not applicable /W. Not applicable Variable, typically 400-500°F Not applicable  Not applicable  Not applicable <1	
Wear safety glass Have eye-washing Wear impervious Wear impervious Wear impervious Physical and C Appearance: Odor: pH: Melting Point / Freezing Point: Boiling Point: Evaporation Rate: Flammability (solid, gas): Upper Explosive Limit: Lower Explosive Limit: Section 10. Stability Reacti Reactivity: Chemical Stability:	p facilities readily available gloves and protective clo  hemical Properties  Various color  Characteristic Odor  Not applicable  Not applicable  208°-210°F  Not Applicable  Slower than Ether  Dust and solid are flammable  Not established  40 grams/m3  vity  Stable  Stable  None known	le where eye contact can occur. thing to prevent skin contact.  Vapor Pressure: Vapor Density: Relative Density: Solubility (ies): Partition Coefficient (N-Octanol, Auto-Ignition Temperature: Decomposition Temperature: Viscosity: Specific Gravity: Percent Volatile:	Not applicable Not applicable <1 Not applicable /W Not applicable Variable, typically 400-500°F Not applicable  Not applicable <1 39-44%	
Wear safety glass Have eye-washing Wear impervious  Section 9. Physical and C  Appearance: Odor: pH: Melting Point / Freezing Point: Boiling Point: Flash Point: Evaporation Rate:  Flammability (solid, gas): Upper Explosive Limit: Lower Explosive Limit: Section 10. Stability Reacti Reactivity: Chemical Stability: Possibility of Hazardous Reactions: Conditions to Avoid:	p facilities readily available gloves and protective clo  hemical Properties  Various color  Characteristic Odor  Not applicable  Not applicable  208°-210°F  Not Applicable  Slower than Ether  Dust and solid are flammable  Not established  40 grams/m3  vity  Stable  Stable  None known	le where eye contact can occur. thing to prevent skin contact.  Vapor Pressure: Vapor Density: Relative Density: Solubility (ies): Partition Coefficient (N-Octanol, Auto-Ignition Temperature: Decomposition Temperature: Viscosity: Specific Gravity:	Not applicable Not applicable <1 Not applicable /W Not applicable Variable, typically 400-500°F Not applicable  Not applicable <1 39-44%	
Wear safety glass Have eye-washing Wear impervious  Section 9. Physical and C Appearance: Odor: pH: Melting Point / Freezing Point: Boiling Point: Flash Point: Evaporation Rate: Flammability (solid, gas): Upper Explosive Limit: Lower Explosive Limit: Section 10. Stability Reacti Reactivity: Chemical Stability: Possibility of Hazardous Reactions:	g facilities readily available gloves and protective clo hemical Properties Various color Characteristic Odor Not applicable Not applicable 208°-210°F Not Applicable Slower than Ether Dust and solid are flammable Not established 40 grams/m3  vity Stable Stable None known Avoid contact with oxid None known	le where eye contact can occur. thing to prevent skin contact.  Vapor Pressure: Vapor Density: Relative Density: Solubility (ies): Partition Coefficient (N-Octanol, Auto-Ignition Temperature: Decomposition Temperature: Viscosity: Specific Gravity: Percent Volatile:	Not applicable Not applicable <1 Not applicable /W. Not applicable Variable, typically 400-500°F Not applicable  Not applicable <1 39-44%  and tempuratures over 400°F	
Wear safety glass Have eye-washing Wear impervious  Section 9. Physical and C  Appearance: Odor: pH: Melting Point / Freezing Point: Boiling Point: Flash Point: Evaporation Rate:  Flammability (solid, gas): Upper Explosive Limit: Lower Explosive Limit: Section 10. Stability Reacti Reactivity: Chemical Stability: Possibility of Hazardous Reactions: Conditions to Avoid:	glacilities readily available gloves and protective closses and protective close and protective	le where eye contact can occur. thing to prevent skin contact.  Vapor Pressure: Vapor Density: Relative Density: Solubility (ies): Partition Coefficient (N-Octanol, Auto-Ignition Temperature: Decomposition Temperature: Viscosity: Specific Gravity: Percent Volatile:	Not applicable Not applicable <1 Not applicable /W. Not applicable  Variable, typically 400-500°F Not applicable  Not applicable <1 39-44%  and tempuratures over 400°F	

Section 11.	Toxicological Information			
Irritation Effects	Irritation Effects			
	Eye Irritation: Solid particles may cause transient irritation from mechanical abrasion.  Skin Irritation: Not expected to cause skin irritation. Molten material may cause thermal burns.			
	Inhalation: Not a likely route of exposure. Process fumes may cause irritation.			
	Ingestion: May cause a choking hazard if swallowed.			

**Accute Effects of Exposure**: Gases and fumes evolved during thermal processing or decomposition of this material may irritate the eyes, skin or respiratory tract and cause nausea, drowsiness and headache.

Chronic (non-cancer) Effects of Exposure: Not expected to cause any adverse chronic health effects.

### Carcinogenicity:

Formaldehyde is listed by the International Agency for Research on Cancer as a probable human carcinogen. The National Toxicology Program includes formaldehyde in the Annual Report on Carcinogens. Formaldehyde is regulated by OSHA as a potential cancer agent.

Section 12. Ecological Information		
Eco-toxicity:	No relevant studies identified.	
Persistence and Degradability:	No relevant studies identified.	
Bio-accumulate Potential:	No relevant studies identified.	
Mobility in Soil:	No relevant studies identified.	
Other Adverse Effects:	No relevant studies identified.	

# Section 13. Disposal Considerations

# Disposal Methods

Product Recommendation:

- 1. Recycle (Reprocess) if product has not been contaminated so as to make it unsuitable for its intended use.
- 2. Disposal through controlled incineration or authorized waste dump in accordance with Local, State or Federal Regulations.

**Uncleaned Packaging Recommendation:** 

1. Disposal must be done in accordance with Local, State, or Federal Regulation.

Section 14. Transportation In	formation
UN Number:	Not Relevant
UN Proper Shipping Name:	Not Relevant
Transportation Hazard Class(es)	
DOT:	Not Regulated/classified
ADR / RID:	Not Regulated/classified
IMDG:	Not Regulated/classified
ICAO/IATA	Not Regulated/classified
Packing Group:	Not Applicable
Environmental Hazards:	Not Relevant
Transportation in Bulk (According to A	nnex II of MARPOL 73/78 and IBC Code): Not Relevant
Special Precautions for User:	No special precautions

### Section 15. Regulatory Information

(Not meant to be all-inclusive – selected regulations represented)

NOTICE: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied is given. Regulatory requirements are subject to change and may differ from one location to another; it is the buyer's responsibility to ensure that its activities comply with federal, state or provincial, and local laws. The following specific information is made for the purpose of complying with numerous federal, state or provincial, and local laws and regulations. See other sections for health and safety information.

### Hazardous Constituents (40 CFR 261):

00114 11=-0=---

If discarded in purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste (40 CFR 261.20-24).

Immediate Hazard: NO		Fire Hazard: NO	Reactivity Hazard: NO
SARA 313:			
OSHA Hazcom. This waterial is not hazardous b OSHA hazardous communication Standard 29 CFR 1910.1200			

Delayed Hazard: NO	Pressure Hazard: NO			
Section 16. Other Information				
<b>NOTICE:</b> The information presented in this Safety Data Sheet is based on data considered to be accurate as of the date this Safety Data Sheet was prepared. However, no warranty or representation, expressed or implied, is made as to the accuracy or completeness of the foregoing data and safety information, nor is any authorization given or implied to practice any patented invention without a license. In additional, no responsibility can be assumed by vendor for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices, or from any hazards inherent in the nature of the product.				
Revision Date: January 2020				