

Rowmark

MAINTENANCE
ORDER TO MAINTAIN
THE FOLLOWING ARE
REQUIRED ON A REGULAR BASIS

- PRESSURE OUTLETS
 - WATER INLETS
 - AIR AND FUEL INLETS
 - EXTRACTION UNITS
 - COMBUSTION CHAMBER
 - WATER TUBES
- TYPE MSD2600 SERIAL NO. 102632
MODEL NO. 2632-01140-SX

WILTSHIRE & CO
FLOW CONTROL SYSTEMS

PRESSURE O
EXTRACTION
TYPE MSD2600
MODEL NO. 2632-01140-SX

WILTSHIRE & CO
FLOW CONTROL SYSTEMS

CUSTOM EXTRUDED SHEET


rowmark.com // 800.243.3339

This color chart represents in-stock items. Standard sheet size is 24" x 48¾" unless otherwise noted. All products are flexible, score, saw, hot stamp, drill, bond, and screenprint. For custom sheets, contact us by phone at 800-243-3339 or by email at sales@rowmark.com; most available for quick delivery.

- Filled in circle denotes feature that applies to that product.
- Circle not filled in means that feature does not apply to that product.

ABS

Additional colors and thicknesses available. Contact your sales rep for more information.



finish	hair cell ●	gloss ○	matte ●	
material	abs ○	acrylic ○	co-extruded ○	laminated surface ○
thickness	.005" - .187"			
width	54" max			
application	indoor ●	outdoor ○		




ABS Matte Black

NEW!

P99 MATTE FINISH NOW AVAILABLE

ROWMARK LD

Rowmark LD products include light diffusing properties.




White #7328 White #2447 Bright White #2406 Tinted Smoke



Rowmark LD Tinted Smoke

IMPACT MODIFIED ACRYLIC



Clear Standard Smoke Acrylic Frost Acrylic

finish	P99 ●	gloss ●	matte ●
material	impact modified acrylic		
application	indoor ●	outdoor ●	
thickness	.005" - .187"		
width	54" max		

Additional Rowmark LD and Impact Modified Acrylic colors are available. Contact your sales rep for more information.

TEXTURES

Additional colors and thicknesses available. Contact your sales rep for more information.

Coal Black/White	Coffee Bean/White	Bermuda Tan/Dark Brown	Desert Sand/Black	Ash Grey/White	Ash Grey/Black	Winter White/Black	White/Red
822-422 2-ply 1/16" 842-422 2-ply 1/8"	822-892 2-ply 1/16"	822-258 2-ply 1/16"	822-854 2-ply 1/16"	822-302 2-ply 1/16"	822-374 2-ply 1/16"	822-244 842-244	822-246 2-ply 1/16"
Winter White/Blue	Pimento/White	Ruby/White	Tangerine/White	Royal Blue/White	Sapphire/White	Jungle Green/White	Teal/White
822-205 2-ply 1/16"	822-542 2-ply 1/16" 842-542 2-ply 1/8"	822-622 2-ply 1/16"	822-652 2-ply 1/16"	822-592 2-ply 1/16" 842-592 2-ply 1/8"	822-503 2-ply 1/16"	822-962 2-ply 1/16"	822-992 2-ply 1/16"
Acid Yellow/Black	Acid Yellow/Dark Brown						
822-774 2-ply 1/16"	822-778 2-ply 1/16"						

features	co-extruded, works well for industrial and high traffic areas		
finish	texture ●	gloss ○	matte ○
material	abs ○	acrylic ○	co-extruded ●
fabrication method	rotary ●	laser ○	
ply/gauge	2 ply, 1/16"		2 ply, 1/8"
application	indoor ●	outdoor ●	



SATINS

Additional colors and thicknesses available. Contact your sales rep for more information.

Black/White	White/Black	Polar White/Black	White/Red	White/Blue	Red/White	Orange/White	Blue/Yellow
122-402 2-ply 1/16" 123-402 3-ply 1/16" 143-402 3-ply 1/8"	122-204 2-ply 1/16" 123-204 3-ply 1/16" 143-204 3-ply 1/8"	122-234 2-ply 1/16" 123-234 3-ply 1/16" 143-234 3-ply 1/8"	122-206 2-ply 1/16" 123-206 3-ply 1/16" 143-206 3-ply 1/8"	122-205 2-ply 1/16" 123-205 3-ply 1/16" 143-205 3-ply 1/8"	122-802 2-ply 1/16" 123-802 3-ply 1/16" 143-802 3-ply 1/8"	122-612 2-ply 1/16" 123-612 3-ply 1/16" 143-612 3-ply 1/8"	122-517 2-ply 1/16" 123-517 3-ply 1/16" 143-517 3-ply 1/8"
Blue/White	Air Force Blue/White	Bright Green/White	Pine Green/White	Yellow/Black	Ivory/Dark Brown	Grey/White	Dark Brown/White
122-512 2-ply 1/16" 123-512 3-ply 1/16" 143-512 3-ply 1/8"	122-532 2-ply 1/16" 123-532 3-ply 1/16" 143-532 3-ply 1/8"	122-932 2-ply 1/16" 123-932 3-ply 1/16" 143-932 3-ply 1/8"	122-912 2-ply 1/16" 123-912 3-ply 1/16" 143-912 3-ply 1/8"	122-704 2-ply 1/16" 123-704 3-ply 1/16" 143-704 3-ply 1/8"	122-228 2-ply 1/16" 123-228 3-ply 1/16" 143-228 3-ply 1/8"	122-302 2-ply 1/16" 123-302 3-ply 1/16" 143-302 3-ply 1/8"	122-842 2-ply 1/16" 123-842 3-ply 1/16" 143-842 3-ply 1/8"

features	offers an eye pleasing, lightly brushed surface finish			
finish	brushed ●	gloss ○	matte ○	metallic ○
material	abs ●	acrylic ○	micro-thin surface ○	laminated surface ●
fabrication method	rotary ●	laser ○		
ply/gauge	2 ply, 1/16"		3 ply, 1/8"	
application	indoor ●	outdoor ○		



LASERMAX®

Additional colors and thicknesses available. Contact your sales rep for more information.

Black/White	Black/Gold	Gloss Black/Gold	White/Black	White/Crimson	White/Sky Blue	Crimson/White	Sky Blue/White
LM922-402 2-ply 1/16" LM942-402 2-ply 1/8" LM943-402 3-ply 1/8"	LM922-417 2-ply 1/16"	LM922-427 2-ply 1/16"	LM922-204 2-ply 1/16" LM942-204 2-ply 1/8" LM943-204 3-ply 1/8"	LM922-206 2-ply 1/16"	LM922-205 2-ply 1/16"	LM922-602 2-ply 1/16" LM942-602 2-ply 1/8" LM943-602 3-ply 1/8"	LM922-512 2-ply 1/16" LM942-512 2-ply 1/8" LM943-512 3-ply 1/8"
Kelley Green/White	Canary/Black	Brushed Gold/Black*	European Gold/Black*	Br. Aluminum/Black*	Brushed Silver/Black*	Deep Bronze/Black*	Brushed Bronze/Black*
LM922-932 2-ply 1/16" LM942-932 2-ply 1/8"	LM922-704 2-ply 1/16" LM942-704 2-ply 1/8" LM943-704 3-ply 1/8"	LM922-734 2-ply 1/16" LM942-734 2-ply 1/8"	LM922-754 2-ply 1/16" LM942-754 2-ply 1/8"	LM922-354 2-ply 1/16" LM942-354 2-ply 1/8"	LM922-334 2-ply 1/16" LM942-334 2-ply 1/8"	LM922-884 2-ply 1/16"	LM922-874 2-ply 1/16"

features	great choice for fine, detailed engraving for both indoor/outdoor			
finish	satin	gloss	matte	metallic
material	abs	acrylic	micro-thin surface	laminated surface
fabrication method	rotary	laser		
ply/gauge	2 ply, 1/16"	2 ply, 1/8"	3 ply, 1/8"	
application	indoor	outdoor		

◆ Not recommended for harsh or high humidity indoor or outdoor applications.
* Not recommended for outdoor applications.



ADA ALTERNATIVE Substrate & Appliqué

Additional colors and thicknesses available. Contact your sales rep for more information.

Black	Dark Brown	Grey	White	Bright White	Red	Blue	Bright Green
311-401 1-ply 1/32" 321-401 1-ply 1/16" 341-401 1-ply 1/8"	311-803 1-ply 1/32" 321-803 1-ply 1/16" 341-803 1-ply 1/8"	311-301 1-ply 1/32" 321-301 1-ply 1/16" 341-301 1-ply 1/8"	311-201 1-ply 1/32" 321-201 1-ply 1/16" 341-201 1-ply 1/8"	311-204 1-ply 1/32" 321-204 1-ply 1/16" 341-204 1-ply 1/8"	311-601 1-ply 1/32" 321-601 1-ply 1/16" 341-601 1-ply 1/8"	311-501 1-ply 1/32" 321-501 1-ply 1/16" 341-501 1-ply 1/8"	311-901 1-ply 1/32" 321-901 1-ply 1/16" 341-901 1-ply 1/8"
Gold	Silver	Clear					
311-771 1-ply 1/32" 321-771 1-ply 1/16" 341-771 1-ply 1/8"	311-304 1-ply 1/32" 321-304 1-ply 1/16" 341-304 1-ply 1/8"	311-101 1-ply 1/32" 322-101 1-ply 1/16" 342-101 1-ply 1/8"					

features	braille engravable, vector cuts, applique, machines easily			
finish	satin	gloss	matte	metallic
material	abs	acrylic	single ply	
fabrication method	rotary	laser		
use	complies with Americans with Disabilities Act (ADA)			
ply/gauge	1 ply, 1/32"	1 ply, 1/16"	1 ply, 1/8"	available w/tape*
application	indoor	outdoor		

*To order ADA Alternative products with tape add an "8" to the end of the item code.



SAFE-T-MARK

Additional colors and thicknesses available. Contact your sales rep for more information.

Black/White	Grey/Black	Grey/White	White/Black	Red/White	Vibrant Orange/Black	Bright Green/White	Yellow/Black
FR222-402 2-ply 1/16" FR223-402 3-ply 1/16"	FR222-314 2-ply 1/16" FR223-314 3-ply 1/16"	FR222-312 2-ply 1/16" FR223-312 3-ply 1/16"	FR222-204 2-ply 1/16" FR223-204 3-ply 1/16"	FR222-602 2-ply 1/16" FR223-602 3-ply 1/16"	FR222-624 2-ply 1/16" FR223-624 3-ply 1/16"	FR222-932 2-ply 1/16" FR223-932 3-ply 1/16"	FR222-744 2-ply 1/16" FR223-744 3-ply 1/16"
features	non-flammable, complies with UL94-V0 rating						
finish	satin	gloss	matte	metallic			
material	abs	acrylic	fire retardant polymer	micro-thin surface			
fabrication method	rotary	laser					
ply/gauge	2 ply, 1/16"	3 ply, 1/16"					
application	indoor	outdoor					



MATTES

Additional colors and thicknesses available. Contact your sales rep for more information.

Black/White	White/Black	White/Red	White/Blue	Red/White	Blue/White	Bright Green/White	Yellow/Black
222-402 2-ply 1/16" 223-402 3-ply 1/16" 243-402 3-ply 1/8"	222-204 2-ply 1/16" 223-204 3-ply 1/16" 243-204 3-ply 1/8"	222-206 2-ply 1/16" 223-206 3-ply 1/16" 243-206 3-ply 1/8"	222-205 2-ply 1/16" 223-205 3-ply 1/16" 243-205 3-ply 1/8"	222-602 2-ply 1/16" 223-602 3-ply 1/16" 243-602 3-ply 1/8"	222-512 2-ply 1/16" 223-512 3-ply 1/16" 243-512 3-ply 1/8"	222-932 2-ply 1/16" 223-932 3-ply 1/16" 243-932 3-ply 1/8"	222-744 2-ply 1/16" 223-744 3-ply 1/16" 243-744 3-ply 1/8"
features	economical choice for fine, detailed engraving for indoor use						
finish	satin	gloss	matte	metallic			
material	abs	acrylic	micro-thin surface	laminated surface			
fabrication method	rotary	laser					
ply/gauge	2 ply, 1/16"	2 ply, 1/8"	3 ply, 1/8"				
application	indoor	outdoor					



ULTRA-MATTES Front Engravable

Additional colors and thicknesses available. Contact your sales rep for more information.

Black/White	White/Black	Red/White	Blue/White	Yellow/Black
322-402 2-ply 1/16" 342-402 2-ply 1/8" 343-402 3-ply 1/8"	322-204 2-ply 1/16" 343-204 3-ply 1/8"	322-602 2-ply 1/16" 343-602 3-ply 1/8"	322-512 2-ply 1/16" 342-512 2-ply 1/8" 343-512 3-ply 1/8"	322-704 2-ply 1/16" 342-704 2-ply 1/8" 343-704 3-ply 1/8"
features	thicker, more durable top surface than the Mattes product line			
finish	satin	gloss	matte	metallic
material	abs	acrylic	micro-thin surface	laminated surface
fabrication method	rotary	laser		
ply/gauge	2 ply, 1/16"	2 ply, 1/8"	3 ply, 1/8"	
application	indoor	outdoor		





ROWMARK CUSTOM EXTRUSION CAPABILITIES

Thickness range - .005"-.187"

Widths up to 54" wide

Sheet and Roll Stock

In-line and off-line film lamination capability

Finishes – gloss/smooth, matte, haircell, calf, brushed, P99

Co-extrusion – up to 20% cap

Materials – Acrylic, ABS, HIPS, TPE

Custom color matching

Rowmark is your trusted and tested supplier for plastic engraving sheet products. We offer the highest quality so your customers get consistent results year after year, job after job. With more than 40 years of sheet extrusion experience, you can be sure that you and your customers will get unmatched technical support from our highly trained team of extrusion and application experts. If you or your customers can't find what you are looking for, Rowmark has the experience and capabilities to create a wide of range custom sheet materials.

CORPORATE HEADQUARTERS

PO Box 1605
5409 Hamlet Drive
Findlay, Ohio 45840-1605
inquiries@rowmark.com

TECHNICAL SUPPORT

877.769.6275 /// 419.425.8974
techhelp@rowmark.com