



SDS No: 0023

NEW GHS Hazard Categories

Category 1 = Severe Hazard
Category 2 = Serious Hazard
Category 3 = Moderate Hazard

Category 4 = Slight Hazard
Category 5 = Minimal Hazard

Section 1. Product and Company Identification

5409 Hamlet Drive

Product Name: Reflexions

Trade Name: Polymethyl methacrylate mirror sheet

Recommended Use: Signage, Other

Restrictions on Use: None

Manufacture: Rowmark In Case of Emergency: Call: Medical: 911

Poison Control: 800-589-3897

Findlay, OH 45840 Information: Call: 1-877-ROWMARK
Email: techhelp@rowmark.com

Section 2. Hazard Identification

GHS Classification: Not Classified GHS Label Elements: Not Applicable

GHS Rating

Health	5
Flammability	4
Instability	5
Special	

Other Hazards: Not Applicable

Section 3. Composition / Information on Ingredients			
Name	CAS#	% by Weight	OHSA
P (EA/MMA)	Proprietary	9-100	N
Methyl methacrylate	80-62-6	< 1	Υ
Ethyl acrylate	7429-90-5	0.1 MAX	N

The substance(s) marked with a "Y" in the OSHA column are idenfitied as hazardous chemicals according to the criteria of the OSHA Hazardous Communication Standard (29 CFR 1910.1200).

While this material is not classified as hazardous under Federal OSHA regulations, this SDS contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

The components of this product are all on the TSCA Inventory list. Remaining components are proprietary, non-hazardous, and/or present at amounts below reportable limits.

Section 4.	tion 4. First Aid Measures		
Inhalation:	Dust and process vapors may be irritation to the nose, throat and respiratory tract. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get Medical attention.		
Eyes:	Dust, fines and process vapors may irritate the eyes. Immediately flush eyes with water for at least 15 minutes. Get medical attention.		
Skin: Exposure to molter under ice water or		n plastic may cause thermal burns. If molten material comes in contact with the skin, cool a running stream.	
Ingestion: No adverse health effects expected from ingestion.		effects expected from ingestion.	
Section 5. Fire-Fighting Measures		easures	
Suitable Extinguishing Methods:		Dry Chemical, Water Spray, Foam Carbon Dioxide. Avoid using direct streams of water on molten burning material.	
Unsuitable Extinguishing Methods:		NONE known.	
Hazards During Fire-fighting:		Carbon monoxide, carbon dioxide, original monomer other hydrocarbon oxidation products.	
Protective Equipment:		Wear self-contained breathing apparatus and protective suit.	
Section 6. Accidental Relea Personal Precautions: Environmental Precautions:		ase Measures	
		See Section 8 - Exposure Controls / Personal Protection.	
		No Special environmental precautions required.	

Handling: Storage: Section 8. E Exposure Limits: 1) Effects of Acut	appropriate co andling and Sto Keep away fro	ontainer for disposal.	ot be necessary. Sweep up or g	ather material and place in		
Handling: Storage: Section 8. E Exposure Limits: 1) Effects of Acut	Keep away fro	orage		and Materials for Containment and Cleaning Up Containment of this material should not be necessary. Sweep up or gather material and place in appropriate container for disposal.		
Storage: Section 8. E Exposure Limits: 1) Effects of Acut			andling and Storage			
Section 8. E Exposure Limits: 1) Effects of Acut		from heat, flame and strong oxidizing agents.				
Exposure Limits: 1) Effects of Acut	Keep away fro sunlight.	om heat, sparks, and fla	me. Store in cool place in origina	al container and protect form		
1) Effects of Acut	xposure Contro	ol and Personal Prote	ection			
-						
	e Exposure:	Inhalation of vapors m	ay result in irritation of upper res _l	oiratory tract		
2) Effects of Chro	nic Exposure:		None identified			
3) OSHA Permiss	ible Exposure Lir	ĭ	None identified			
4) Carcinogen Po	tential:					
Engineering Contr	ols:					
U	se recommended	safe handling practices	to minimize unnecessary exposu	ıre.		
G	eneral room ventil	ation is adequate for sto	orage and ordinary handling.			
U	se local exhaust a	t points of fume generat	ion or if dusty conditions prevail.			
Personal Protectiv						
V	ear safety glasses	s with side shields or ch	emical goggles to prevent eye co	ontact.		
		•	e where eye contact can occur.			
N	ear impervious gl	oves and protective clot	hing to prevent skin contact.			
Section 9. P	hysical and Che	emical Properties				
Appearance:		Various Colors	Vapor Pressure:	Not Applicable		
Odor:		Odorless	Vapor Density:	Not Applicable		
рН:		Not applicable	Relative Density:	1.1-1.2 g/cm3		
Melting Point / Free:	zing Point:	No data available	Solubility (ies):	Not Applicable		
Boiling Point:		No data available	Partition Coefficient (N-Octanol/	W No data available		
Flash Point:		Not applicable	Auto-Ignition Temperature:	No data available		
Evaporation Rate:		Not applicable	Decomposition Temperature:	No data available		
Flammability (solid,	gas):	See GHS in section 2	Viscosity:	No data available		
Upper Explosive Lin	nit:	Not applicable	Specific Gravity:	1.1-1.2 Water = 1 (liquid)		
Lower Explosive Lin	nit:	Not applicable	Percent Volatile:	0%		
Section 10. S	tability Reactivi	ty				
Reactivity:		No data available				
Chemical Stability:		Stable				
Possibility of Hazard	dous Reactions:	Hazardous polymeriza	tion does not occur			
		,	arcs, potential ignition sources, o	0 1		
Conditions to Avoid			acids, alkalis and strong oxidizir	ng agents		
Incompatible Materi	als:	None under normal co	nditions of use			
Hazardous Decomp			tes, Methacrylates, Hazardous or	ganic compounds		
Combustion Produc	ts:	No data available				
Section 11. T	oxicological Inf	ormation				
Irritation Effects						
E	ye Irritation:		use transient irritation from mech			
S	kin Irritation:		skin irritation. Molten material n			
In	halation:	•	posure. Process fumes may cau	se irritation.		
In	gestion:	May cause a choking h	nazard if swallowed.			
Polymethyl methad	crylate					

This material is a polymer of methyl methacrylate monomers. The polymer is considered to be biologically inert and the only known potential hazards are those resulting from the mechanical irritancy of dusts, which may arise from grinding and polishing operations. It has been reported to produce an asthmatic condition in an elderly individual after exposure to resin in dentures. No genetic changes were observed in tests using bacteria, animals or human cells.

Section 12.	Ecological Information
Eco-toxicity:	Toxicity to fish - No relevant studies identified.

Persistence and Degradability: This material is not expected to be readily biodegradable.

Bio-accumulate Potential: Product is not likely to accumulate in biological organisms.

Mobility in Soil: This Product has not been found to migrate through soils.

Other Adverse Effects: None identified

Section 13. Disposal Considerations

Disposal Methods

Product Recommendation:

- 1. Recycle (Reprocess) if product has not been contaminated so as to make it unsuitable for its intended use.
- 2. Disposal through controlled incineration or authorized waste dump in accordance with Local, State or Federal Regulations.

Uncleaned Packaging Recommendation:

1. Disposal must be done in accordance with Local, State, or Federal Regulation.

Section 14. Transportatio			
UN Number:	Not Relevant		·
UN Proper Shipping Name:	Not Relevant		
Transportation Hazard Class(es			
DOT:	Not Regulated/classified		
ADR / RID:	Not Regulated/classified		
IMDG:	Not Regulated/classified		
ICAO/IATA	Not Regulated/classified		
Packing Group:	Not Applicable		
Environmental Hazards:	Not Relevant		
Transportation in Bulk (According	to Annex II of MARPOL 73/78 and IBC Code):	Not Relevant	·
Special Precautions for User:	No special precautions		

Section 15. Regulatory Information

Hazard categories under criteria of SARA Title III Rules (40 CFR Part 370)

0	<u> </u>	,	
Immediate (Acute) Health	Υ	Delayed (Chronic) Health	N
Sudden Release of Pressure	N	Reactive	N
Fire	N		

The components of this product are all on the TSCA inventory list.

INGREDIENT RELATED REGULATORY INFORMATION:

SARA REPORTABLE QUANTITIES	CERCLA RQ	SARA TPQ
Methyl methacrylate	1000 LBS	N/A

OSHA HazCom: This Material is not Hazardous b OSHA Hazardous Communication Standard 29 CFR 1910.1200

SARA 313:

Immediate Hazard: NO	Fire Hazard: NO	Reactivity Hazard: NO
Delayed Hazard: NO	Pressure Hazard: NO	

Section 16. Other Information

The information presented in this Safety Data Sheet is based on data considered to be accurate as of the date this Safety Data Sheet was prepared. However, no warranty or representation, expressed or implied, is made as to the accuracy or completeness of the foregoing data and safety information, nor is any authorization given or implied to practice any patented invention without a license. In additional, no responsibility can be assumed by vendor for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices, or from any hazards inherent in the nature of the product.

Revision Date: January 2020