



SDS No: 0030

Section 1. Product and Company Identification

Product Name: UltraGrave™

**Trade Name:** High Impact Modified Acrylic Blends

Recommended Use: Signage, Other

Restrictions on Use: None

Manufacture: Rowmark In Case of Emergency: Call: Medical: 911

5409 Hamlet Drive Poison Control: 800-589-3897

Findlay, OH 45840 Information: Call: 1-877-ROWMARK

Email: techhelp@rowmark.com

**NEW GHS Hazard Categories**Category 1 = Severe Hazard

Category 2 = Serious Hazard
Category 3 = Moderate Hazard

Category 4 = Slight Hazard
Category 5 = Minimal Hazard

## Section 2. Hazard Identification

GHS Classification: Not Classified GHS Label Elements: Not Applicable

## **GHS Rating**

Health	5
Flammability	4
Instability	5
Special	

Other Hazards: Not Applicable

Section 3. Composition / Inf	ormation on Ingredie	nts	
Name	CAS#	% by Weight	OHSA
P (EA/MMA)	Proprietary	50-54	N
Acrylic Styrene Copolymer	Proprietary	35-50	N
2-(Proploxy)ethanol	2807-30-9	1-2.5	Υ
Cyclohexanone	203-631-1	1-2.5	Υ
Ethyl acrylate	140-88-5	< 0.1	Y
May produce an allergic reaction			
Methyl methacrylate	80-62-6	<0.5	Υ

The substance(s) marked with a "Y" in the OSHA column are idenfitied as hazardous chemicals according to the criteria of the OSHA Hazardous Communication Standard (29 CFR 1910.1200).

While this material is not classified as hazardous under Federal OSHA regulations, this SDS contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

The components of this product are all on the TSCA Inventory list. Remaining components are proprietary, non-hazardous, and/or present at amounts below reportable limits.

Section 4.	First Aid Measu	res	
Inhalation:	Dust and process vapors may be irritation to the nose, throat and respiratory tract. Remove to fresh air. If not		
IIIIIaiaii0II.	breathing, give arti	ficial respiration. If breathing is difficult, give oxygen. Get Medical attention.	
	Dust, fines and pro	ocess vapors may irritate the eyes. Immediately flush eyes with water for at least 15	
Eyes:	minutes. Get med	ical attention.	
	Exposure to molten plastic may cause thermal burns. If molten material comes in contact with the skin, cool		
Skin:	under ice water or a running stream.		
Ingestion:	No adverse health effects expected from ingestion.		
Section 5.	Fire-Fighting Me	easures	
O: t - b l - E. +:	.:- -: N.A4	Dry Chemical, Water Spray, Foam Carbon Dioxide. Avoid using direct streams of water	
Suitable Extinguishing Methods: on molten burning material.		on molten burning material.	
Unsuitable Extin	guishing Methods:	NONE known.	

Carbon monoxide, carbon dioxide, original monomer other hydrocarbon oxidation Hazards During Fire-fighting: Protective Equipment: Wear self-contained breathing apparatus and protective suit. Section 6. Accidental Release Measures Personal Precautions: See Section 8 - Exposure Controls / Personal Protection. **Environmental Precautions:** No Special environmental precautions required. Methods and Materials for Containment and Cleaning Up Containment of this material should not be necessary. Sweep up or gather material and place in Spill / Leak: appropriate container for disposal. **Handling and Storage** Section 7. Handling: Keep away from heat, flame and strong oxidizing agents. Keep away from heat, sparks, and flame. Store in cool place in original container and protect form Storage: sunlight. Section 8. **Exposure Control and Personal Protection Exposure Limits:** Inhalation of vapors may result in irritation of upper respiratory tract 1) Effects of Acute Exposure: 2) Effects of Chronic Exposure: 3) OSHA Permissible Exposure Lim 4) Carcinogen Potential: **Engineering Controls:** Use recommended safe handling practices to minimize unnecessary exposure. General room ventilation is adequate for storage and ordinary handling. Use local exhaust at points of fume generation or if dusty conditions prevail. **Personal Protective Equipment:** Wear safety glasses with side shields or chemical goggles to prevent eye contact. Have eye-washing facilities readily available where eye contact can occur. Wear impervious gloves and protective clothing to prevent skin contact. Section 9. **Physical and Chemical Properties** Various Colors Vapor Pressure: Appearance: Not Applicable Vapor Density: Odor: Slightly acrylic Not Applicable рН: Not applicable Relative Density: 1.19 g/cm3 Melting Point / Freezing Point: No data available Solubility (ies): Not Applicable Partition Coefficient (N-Octanol/W No data available **Boiling Point:** No data available Flash Point: Not applicable Auto-Ignition Temperature: No data available **Evaporation Rate:** Decomposition Temperature: No data available Not applicable Flammability (solid, gas): See GHS in section 2 Viscosity: No data available Upper Explosive Limit: 1.19; Water = 1 (liquid) Not applicable Specific Gravity: Lower Explosive Limit: Not applicable Percent Volatile: 0% Section 10. Stability Reactivity Reactivity: No data available Chemical Stability: Stable Possibility of Hazardous Reactions: Hazardous polymerization does not occur Avoid flames, welding arcs, potential ignition sources, or other high temperature sources, Conditions to Avoid: prolonged contact with acids, alkalis and strong oxidizing agents Incompatible Materials: None under normal conditions of use Hazardous Decomposition Products: Carbon oxides, Acrylates, Methacrylates, Hazardous organic compounds No data available Combustion Products: **Toxicological Information** Section 11. **Irritation Effects** Solid particles may cause transient irritation from mechanical abrasion. Eye Irritation: Not expected to cause skin irritation. Molten material may cause thermal burns. Skin Irritation: Not a likely route of exposure. Process fumes may cause irritation. Inhalation: May cause a choking hazard if swallowed. Ingestion:

## **Carcinogenic Effect**

International Agency for Research on Cancer (IARC): Group3 NOT classifiable as to its carcinogenicity to humans.

Section 12. Ecological Info	rmation
Eco-toxicity:	Toxicity to fish - No relevant studies identified.
Persistence and Degradability:	This material is not expected to be readily biodegradable.
Bio-accumulate Potential:	Product is not likely to accumulate in biological organisms.
Mobility in Soil:	This Product has not been found to migrate through soils.
Other Adverse Effects:	This Substance is not in Annex I of Regulation (EC) 2037/2000 on substances that deplete the ozone layer.

## Section 13. Disposal Considerations

## **Disposal Methods**

Product Recommendation:

- 1. Recycle (Reprocess) if product has not been contaminated so as to make it unsuitable for its intended use.
- 2. Disposal through controlled incineration or authorized waste dump in accordance with Local, State or Federal Regulations.

### Uncleaned Packaging Recommendation:

1. Disposal must be done in accordance with Local, State, or Federal Regulation.

Section 14. Transportation	on Information		
UN Number:	Not Relevant		
UN Proper Shipping Name:	Not Relevant		
Transportation Hazard Class(es	· · · · · · · · · · · · · · · · · · ·		
DOT:	Not Regulated/classified		
ADR / RID:	Not Regulated/classified		
IMDG:	Not Regulated/classified		
ICAO/IATA	Not Regulated/classified		
Packing Group:	Not Applicable		
Environmental Hazards:	Not Relevant		
Transportation in Bulk (According	to Annex II of MARPOL 73/78 and IBC Code):	Not Relevant	
Special Precautions for User:	No special precautions		

## Section 15. Regulatory Information

Hazard categories under criteria of SARA Title III Rules (40 CFR Part 370)

Immediate (Acute) Health	N	Delayed (Chronic) Health	N
Sudden Release of Pressure	N	Reactive	N
Fire	N		

The components of this product are all on the TSCA inventory list.

# INGREDIENT RELATED REGULATORY INFORMATION:

SARA REPORTABLE QUANTITIES	CERCLA RQ	SARA TPQ
Ethyl acrylate	1000 LBS	N/A
Methyl methacrylate	1000 LBS	N/A
P (EA/MMA)	N/A	N/A

## **SARA TITLE III, SECTION 313**

This product does contain chemical(s), which are defined as toxic chemicals under and subject to the reporting requirements of, Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372. See section 2.

Chemical Name	CAS-No.	De minimis concentration	Reportable Threshold:
Ethyl acrylate	Not assigned	Not assigned	Not assigned
Methy methacrylate	Not assigned	Not assigned	Not assigned
2-Propenoic acid, ethyl ester	140-88-5	0.10%	10000 lbs (otherwise used (non- manufacturing/processing)) 25000 lbs (manufacturing and processing)

## **Chemical Inventory Status**

EU. EINECS	EINECS	Conforms to

United States TSCA Inventory	TSCA	The components of this product are all on the TSCA Inventory
Canadian Domestic Substnaces List (DSL)	DSL	All components of this product are on the Canadian DSL.
China. Inventory of Existing Chemical Substances in China (IECSC)	IECSC (CN)	Does not conform
Japan. ENCS - Existing and New Chemical Substances Inventory	ENCS (JP)	Does not conform
Japan. ISHL-Inventory of Chemical Substances	ISHL (JP)	Does not conform
Korea. Korean Existing Chemicals Inventory	KECI (KR)	Conforms to
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	PICCS (PH)	Conforms to
Australia Inventory of Chemical Substances	AICS	Conforms to

OSHA HazCom: This Material is not Hazardous b OSHA Hazardous Communication Standard 29 CFR 1910.1200

#### **SARA 313:**

Immediate Hazard: NO	Fire Hazard: NO	Reactivity Hazard: NO
Delayed Hazard: NO	Pressure Hazard: NO	

## **WARNING:**

This product can expose you to chemicals including styrene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

#### Section 16. **Other Information**

The information presented in this Safety Data Sheet is based on data considered to be accurate as of the date this Safety Data Sheet was prepared. However, no warranty or representation, expressed or implied, is made as to the accuracy or completeness of the foregoing data and safety information, nor is any authorization given or implied to practice any patented invention without a license. In additional, no responsibility can be assumed by vendor for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices, or from any hazards inherent in the nature of the product.

Revision Date: January 2020