

## **Material Information Sheet**

## Material Description: Metalgraph Plus®

Specifications		
Material:	Micro-surfaced Impact Modified Acrylic	
Finish:	Brushed Metal	
Sheet Size:	24" x 48 3/4" (610 x 1238 mm)	
Thickness: 2-Ply	1/32" (0.8mm)   1/16" (1.6 mm)   1/8" (3.2 mm)	
Usage:	Interior, Exterior Signage   Personal Identification   Awards & Recognition	
Engraving Method:	Laser   Rotary	
Cutting Depth:	.003" (.08mm)	

Physical Properties	Typical Values	ASTM Method
IZOD Impact Strength		
Notched at 73°F (22.78°C)	1.10ft lbs/in	D-256
Tensile Strength		
To break	5,500 psi	D-638
Elongation before break	50%	D-638
Flexural Strength		
Load to stretch outer surface 5%	10,300 psi	D-790
Specific Gravity	1.15	D-792
Rockwell Hardness	M45	D-785
Deflection Temperature		
Temperature at which material deflects .010" (.254mm) at 264 psi	175°F (79.44°C)	D-648
Vicat Softening Point		
Temperature for needle to penetrate 1mm (90°F/hr, 2.2 lbs)	208°F (97.78°C)	D-1525

**Metalgraph Plus**® material softens sufficiently at about 180°F (82.22°C), which enables bending, should that be desired. It can also be drilled, saw cut, sheared, and bonded to itself or other materials. Electrically non-conductive, Insulative, Non-flammable. Meets 10°12 Ohms/square meter or higher in electrical resistivity, RoHS compliant (halogen-free), PVC-free, Formaldehyde and Phenol free and UL 94 HB rated. Material was judged as not contributing to the combustion of the base material.

Restriction of Hazardous Substances (RoHS)/Halogenated Materials Rowmark has investigated the Restriction of Hazardous Substances (RoHS 3) directive issued by the European Union (directive 2015/863/EU), through our on-line research. This RoHS directive prohibits the distribution of products after June 2015, which contain the following materials; lead, mercury, cadmium, hexavalent chromium, poly-brominated biphenyls and poly-brominated diphenyl ethers. The directive appears to apply to all products that operate on electrical power and contain electronic components. Rowmark complies with the use and disclosure of all halogenated materials and does not incorporate poly-brominated biphenyls or poly-brominated diphenyl ethers in any of its products. Based on our audit, Rowmark plastic sheet products are in compliance with this directive and on ot contain any of the elements noted above or in the candidate list in accordance with the referenced directive. Our related MSDS documents may be found in the Rowmark website (http://www.rowmark.com/MARK/MSDS.asp) and can be referenced for further information.

## Terms & Condition of Sale

Rowmarks warranty is limited to replacement of product only, and such warranty does not extend to the costs of any repeat labor or incidental costs. LIMITED WARRANTY, WARRANTY DISCLAIMERS AND LIMITATIONS OF REMEDIES AND LIABILITIES: Except as set forth above, Seller makes NO OTHER WARRANTIES concerning the products whatsoever.

Note: All information is provided in good faith however no additional warranty, express or implied is given.

PO Box 1605 2040 Industrial Drive Findlay, Ohio 45839-1605 P 419.425.8974 F 419.425.0501

rowmark.com

ISO 9001:2015 QMS